

METHOD STATEMENT

COSMETIC TREATMENT TO CLAY BRICKS , RECONSTRUCTED & NATURAL STONE & CONCRETE

This *Method Statement* describes the cosmetic, no-structural, repair treatment to clay bricks, concrete and reconstructed stone cills, heads, mullions etc. using our polymer modified cementitious repair material. The repair, when complete is permanent and as such we guarantee the work for the life of the substrate to which the repair has been carried out, subject to the terms of our guarantee.

1. Ensure that the areas to be treated are clean and free from any contamination which may affect the bonding of the material to the substrate.
2. Thoroughly wet the area to be treated with clean water.
3. Make good any deep holes cracks, chips etc. using our quick curing repair mortar. Apply in maximum 10mm layers if necessary, allowing each layer to dry before proceeding. Application of the mortar should be by plasterers or other steel trowel to the required finish
4. Mix the mortar and add suitable colour pigments to match as near as possible to the surrounding stone, apply as in 3 above and on drying rub down any high spots with an appropriate grade carborundum stone.
5. When thoroughly dry it may be necessary to colour tint the repaired areas to given a more accurate colour match. This can only be established when the repair is fully cured which may be several days later.

CONSTRUCTION COSMETICS

a division of Red Mill Industries Ltd.

Red Mill House, Centurion Way Business Park, Alfreton Road, Derby, DE21 4AY

Phone: 01332 867740 Fax: 01332 867741 E-mail: info@concos.co.uk Website: www.concos.co.uk